

DMX AGTM FOUNDATION WRAP - WASHER PLACEMENT


NOTES:

- DRAWINGS THAT HAVE N.T.S IN BRACKETS ARE NOT TO SCALE.
- N.T.S DRAWINGS ARE DESIGNED TO HIGHLIGHT THE LOCATION OF DMX AG™.
- 3. DETAILS ARE INTENDED TO BE A RECOMMENDED GUIDE FOR INSTALLATIONS
- 4. ANY CONSTRUCTION / WORKING DRAWINGS PROVIDED FOR THE PROJECT SHOULD BE FOLLOWED AS DESIGNED.









TOP OF FLAT TAB SHOULD BE WITHIN 1"-6" (25mm - 150mm) OF FINAL GRADE LINE TO ENSURE FOUNDATION WRAP WILL REMAIN UNDER FINISHED GRADE LEVEL.

DMX WASHERS™ IN FLAT TAB SPACED AT 6" - 8" (150mm - 200mm) APART. DMX WASHERS™ SHOULD BE FASTENED WITH CONCRETE NAILS.

2ND ROW DMX WASHERS™LOCATED APPROX. 12" (300mm) BELOW FLAT TAB SPACED APPROX. 24" (600mm) APART

3RD ROW DMX WASHERS™LOCATED APPROX. 12" (300mm) BELOW 2ND ROW SPACED APPROX. 24" (600mm) APART. OFF SET TO THE CENTER OF THE 2ND ROW. SHOULD FORM A "W" PATTERN.


FINAL ROW DMX WASHERS™ LOCATED APPROX. 3" - 6" (75mm - 150mm) ABOVE TOP OF FOOTING, SPACED AT APPROX. 10 ft. (3.0m) APART OF EACHOTHER.

POURED CONCRETE FOUNDATION WALL


CONCRETE FOOTING
GRANULAR DRAINAGE LAYER

PROVIDE DRAINAGE IN ACCORDANCE WITH LOCAL BUILDING CODES.

 $\begin{array}{c} \mathsf{DMX} \; \mathsf{AG^{\mathsf{TM}}} \; \mathsf{ON} \; \mathsf{CONCRETE} \; \mathsf{W/DMX} \\ \mathsf{WASHER^{\mathsf{TM}}} \; \mathsf{PLACEMENT} \; (\mathsf{ISO}) \end{array}$



DMX AG[™] ON CONCRETE FOUNDATION (SECTION VIEW - N.T.S)



DMX AG™ AT FOOTING (SECTION VIEW - N.T.S)



BETTER SCIENCE BETTER PRODUCT

DMX Plastics Limited

165 Orenda Rd. Brampton, On L6W 1W3 905.458.8998

www.dmxmembranes.com

│ DMX AG - WASHFR PLAC	

Drawing number AG.01
Date 09-01-2021
A101
Drawn by BT Scale As indicated